

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1859	219/543	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:12
L2	3011	219/553	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:12
L3	758	219/212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:13
L4	792	219/538	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:13
L5	388	219/444.1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:14
L6	1	310/727	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:14
L7	929	318/727	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:14
L8	6956	1 or 2 or 3 or 4 or 5 or 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:15
L9	0	8 and heater near3 variable near watt near density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:17
L10	1026	8 and heater near3 variable nea2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:16

L11	0	8 and heater near3 variable near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:16
L12	0	8 and heat\$3 near3 variable near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:17
L13	0	heat\$3 near3 variable near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:17
L14	0	variable near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:17
L15	0	8 and heater near3 variable near watt near density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:24
L16	1	8 and heat\$3 near3 variable near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:04
L17	8	heat\$3 near3 variable near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:39
L18	31	"5973296"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:25
L19	0	18 and heater near3 variable near watt near density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:24
L20	11	"6602345", "6575729", "5866194"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:25

L21	27	"5808178", "4734563"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:26
L22	38	20 or 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:29
L23	1	22 and heat\$3 near3 variable near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:26
L24	0	(338/306 or 338/307 or 338/308 or 338/309).ccls. and variable near3 watt near3 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:31
L25	2083	(338/306 or 338/307 or 338/308 or 338/309).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:31
L26	0	25 and variable near3 watt4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:01
L27	0	25 and variable near3 watt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:31
L28	2	8 and variable near2 watt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:32
L29	18	heat\$3 near3 variable near2 watt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:03
L30	0	22 and resistive near2 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:39

L31	4	10 and resistive near2 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:44
L32	4	10 and resist\$4 near2 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:42
L33	42	10 and resist\$4 near2 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:42
L34	21	10 and resist\$4 near circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:42
L35	77	8 and resistive near2 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:45
L36	57	35 and layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:45
L37	35	36 and thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:46
L38	2	25 and variable near3 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:01
L39	24	heat\$3 near3 variable with watt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:03
L40	0	8 and heat\$3 near3 differ\$4 near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:05

L41	0	8 and heat\$3 near3 differ\$5 near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:05
L42	0	25 and heat\$3 near3 differ\$5 near2 watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:06
L43	632	heat\$3 same watt near2 density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:06
L44	132	43 and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:06
L45	10	43 and variable near2 watt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 16:06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1303	resist\$5 near3 thickness near3 (vari\$3 or differ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:14
L2	574	1 and circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:14
L3	464	2 and layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:15
L4	15	3 and watt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:21
L5	0	("2003/0231415").URPN.	USPAT	OR	OFF	2004/11/24 17:20
L6	18	2 and watt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:25
L7	344	3 and film	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:26
L8	2039540	3 and resist\$3 vari\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:26
L9	100	3 and resist\$3 near2 vari\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:26